

MISSION DATA CARD								
OPORD		Callsign		Mission		Date/Time		
1091/2022		Panther 1		Training		222000AUG22		
Task	FF NTTR					Freq		
AO	Nellis					261.35		
Departure				Recovery				
FYTTR LOW				STRYK				
#	Callsign		Pilot		IFF	TCN	LSR	NET
-1	Panther 1-1		Jemi		1201	21Y	1571	01/01
-2	Panther 1-2		Taxman		1202	84Y	1572	01/02
-3	Panther 1-3		Razorback		1203	84X	1573	01/03
-4	Panther 1-4		Hawk		1204	21X	1574	01/04

LOADOUT			
A/A	2xA9X, 2xA120C		GUN 100% HEI-T
A/G			CHF 80
POD			FLR 40
TKS	2xFPU-8A		FUEL 100%

TOLD					
	Takeoff	Target	Joker	Bingo	Land
FUEL	15291			3500	2000

AIRBASES								
	Name	TCN	ATIS	GND	TWR	RWY	Elev	ILS
Dep	Nellis AFB	12X	270.1	275.8	327.0	21L	1850	109.1
Arr	Nellis AFB	12X	270.1	275.8	327.0	21L	1850	109.1
Div	Creech AFB	87X	290.45	275.8	360.6			

FLIGHTPLAN				
#	Name	Navaid/Coords/DME	ALT	TOT
1	FYTTR	N36 21 26.400 W115 41 28.200	13000	
2	FLUSH	N36 50 48 W116 20 16.200	21000	
3	GARTH	N37 17 57.600 W116 21 15.600	25000	
4	Belted Peak	N37 34 W116 04 30	25000	
5	Mt Irish	N37 38 30 W115 24	25000	
6	TROUTT	N37 16 60 W115 07 03	25000	
7	DREAM	N37 10 20.400 W114 59 31.800	20000	
8	MINTT	N36 42 44.400 W115 06 17.400	20000	
9	SARAH	N36 36 27 W115 18 01.800	15000	
10	NIXON	N36 32 00.600 W115 32 15	12000	
11	STRYK	N36 25 37.200 W115 30 42	10000	
12	GASS PEAK	N36 24 08.400 W115 10 39.600	8800	
13	Nellis AFB	N36 13 32 W115 02 37	1500	

COMMS	
Radio	Usage
1	11, 3, 4, 16, 11, 4, 3
2	MIDS A:26 / B:44


SUPPORT					
Tanker					
Callsign		TCN	Freq	ALT	TAS
ARCO 1		113Y	319.8	FL250	450
	Pos	AR-625: MVA 168/77 (N3717 W11802)			
AWACS					
Callsign	Freq	ALT	Pos		
MAGIC	377.8	FL270	N3749 W11417 - N3713 W11446		

OTHER FLIGHTS						
Callsign	Mission	Airframe	Freq	TCN	Grpld	Laser
Monster 1	Training	4x A-10C	132.15	25/88	21	161X
AO		Task	Fam Flight NTTR			
T-Rex 2	Training	4x A-10C	132.25	27/90	25	165X
AO		Task	Fam Flight NTTR			
Rattler 2	Training	4x AH-64D	133.5	21/84		125X
AO	Nellis, Winner LZ	Task	Fam Flight			
Raptor 1	Training	4x F-16C	134.0	21/84		156X
AO	Blue Up, Red Down	Task	NTTR Round + AAR Try			
Tiger 2	Training	4x F/A-18C	261.25	21/84	2	152X
AO	Nellis	Task	Fam Flight NTTR			
Panther 2	Training	4x F/A-18C	261.45	21/84	4	158X
AO	Nellis	Task	FF NTTR			
Cougar 1	Training	2x F-14B	261.25	21/84		156X
AO		Task	Formations & AAR			
T-Rex 2	Training	4x A-10C	132.25	27/90	25	165X
AO		Task	Fam Flight NTTR			
Edelweiss 6	Training	2x A-10C	134.65	21/84	40	166X
AO	Whole NTTR	Task				

RADIO CHANNELS		
#	Freq	Name
1		Flight/Squadron specific
2	289.4	Nellis Clearance Delivery
3	275.8	Nellis Ground
4	327.0	Nellis Tower
5	385.4	Nellis Approach/Departure West
6	273.55	Nellis Approach/Departure East
7	317.525	Nellis Control -- Sally
8	254.4	Nellis Control-- Lee
9	305.6	SOF Bullseye
10	343.725	EMERGENCY SINGLE FRQ
11	270.1	Nellis ATIS
12	360.625	Creech AFB Tower
13	250.1	HAVE QUICK 13
14	251.1	HAVE QUICK 14
15	252.1	HAVE QUICK 15
16	377.8	Blackjack
17	265.0	KC-135 AR-641A
18	360.8	KC-135MPRS AR-635
19	319.8	KC-135MPRS AR-625
20	300.05	KC-135 AR-231V

RAMROD										
0	1	2	3	4	5	6	7	8	9	
C	O	N	F	U	S	E	D	L	Y	
KTC 1400 C										
	0	1	2	3	4	5	6	7	8	9
A	HTGW	RVO	MBX	FL	NA	DCY	JI	US	KP	QE
B	KXHC	WPU	DLN	VY	MR	OAT	FJ	EI	SG	QB
C	QYLA	FSM	OGK	DJ	TB	ICU	HN	VX	RE	WP
D	GCDX	PVW	YKM	LU	ST	HFQ	AJ	EB	IO	RN
E	JHRD	GMC	BYO	QE	UL	KAI	NS	WV	PX	TF
F	ICQV	NEU	YJR	HP	XD	TBK	MW	OS	FA	GL
G	NWHF	CYR	KVM	LD	JB	OGX	TU	SA	QP	IE
H	FSHB	MLW	RPY	DU	AX	GIK	CN	OE	QT	JV
I	RXPG	YMF	QNJ	AV	OS	EBI	LD	CK	WT	UH
J	TSJI	CNW	FHB	EM	YK	PLU	RQ	XO	VD	GA
K	NTIK	AVS	CYH	UR	BP	FJM	QE	XW	LG	DO
L	PHWN	MKC	QVJ	FO	UX	LDR	YA	GE	TS	IB
M	JHBW	TVN	UYP	XR	LE	IFD	CA	GK	MQ	OS
N	PMHG	WLJ	VAD	XN	BU	EKR	QF	TS	YO	IC
O	SEUI	MPN	LYQ	JB	KA	VRG	FH	OT	XD	WC
P	KXGF	HEU	JDB	NC	PY	SOR	VT	IA	QL	MW
Q	MRDN	JSX	TVW	HG	BK	AOE	FY	LC	UP	QI
R	DPCY	IWB	TJM	KA	FG	EXV	UQ	SR	OH	LN
S	LJRF	ODB	MCH	AS	VY	NGK	UT	WI	QE	PX
T	SYTU	OAW	XBQ	HP	DF	JVC	IE	RK	LN	GM
U	KNUY	BJT	ESH	QW	FD	VAX	PM	RC	GO	LI
V	PGCW	MXY	TOB	RH	VS	KNL	QU	AF	ID	EJ
W	KFDH	WTO	VLB	JA	ER	QUP	NS	IM	GC	XY
X	MRNP	DBH	IAC	FU	XT	WLG	OE	KQ	YJ	VS
Y	GPUI	EJM	WXA	CO	RQ	HVD	TS	BF	KY	NL

NAVAIDS				
Id	Name	Channel	Position	Elevation
BCE	Bryce Canyon	75	N3741.35 W11218.23	9040
BIH	Bishop	33	N3722.62 W11821.99	4114
BLD	Boulder	114	N3559.75 W11451.82	3650
BTY	Beatty	94	N3648.54 W11644.86	2925
CDC	Cedar City	120	N3747.24 W11304.90	5463
DAG	Daggett	79	N3457.75 W11634.69	1760
EED	Needles	99	N3445.96 W11428.43	650
GFS	Goffs	91	N3507.87 W11510.59	4019
GRL	Groom Lake	18	N3713.91 W11548.16	4475
HEC	Hector	74	N3447.83 W11627.78	1854
ILC	Wilson Creek	110	N3815.02 W11423.65	9318
INS	Creech AFB	87	N3635.20 W11540.12	3101
LAS	McCarran Intl	116	N3604.78 W11509.59	2142
LSV	Nellis	12	N3614.68 W11501.50	1864
MLF	Milford	58	N3821.62 W11300.79	4977
MMM	Mormon Mesa	90	N3646.16 W11416.65	2120
MVA	Mina	98	N3833.92 W11801.97	7860
OAL	Coale Dale	124	N3800.20 W11746.23	4800
PGS	Peach Springs	57	N3537.48 W11332.67	4754
TPH	Tonopah Muni	119	N3801.84 W11702.01	5330
TQQ	Silverbow	77	N3748.00 W11647.00	5500
UTI	St George	23	N3705.29 W11335.53	2871



PAR	RWY	CAT	MINIMA		ARP 36° 14.060' N 115° 01.058' W	ELEV 1857 [ft] 566 [m]	Scale 1:35'500						
	21L	A B D E	2057 - 0.8 200 (200-0.8/1.6) GS 3°				0	300	600	900	1200	1500 [m]	
	3R	A B D E	2057 - 0.8 200 (200-0.8/1.6) GS 3°				0	1000	2000	3000	4000	5000 [ft]	
SRA	21R	A C D E	2257 - 1.2 350 (350-1.2/1.6)										
	3L	A C D E	2257 - 1.2 350 (350-1.2/1.6)										
RWY		TORA		TODA		ASDA		LDA		PSN THR		ALS	
21L		10051 [ft] 3063 [m]		11051 [ft] 3368 [m]		11051 [ft] 3368 [m]		10051 [ft] 3063 [m]		36°14.043' N 115°01.018' W		⊕	
3R		10120 [ft] 3084 [m]		11120 [ft] 3398 [m]		11120 [ft] 3398 [m]		10120 [ft] 3084 [m]		36°13.029' N 115°02.038' W			
ATIS		NELLIS GROUND		NELLIS TOWER		NELLIS CONTROL		TACAN		ILS RWY 21L		NELLIS EAST	NELLIS WEST
270.100 Mhz		275.800 121.800		327.000 132.55		317.525		LSV 12X		109.10 Mhz		384.400	385.000



ATIS
 270.100
 NELLIS GROUND
 275.800
 NELLIS TOWER
 327.000
 NELLIS CONTROL
 317.525
 NELLIS DEP/APP EAST
 384.400
 BLACKJACK
 377.800

CAUTION: If unable to comply
with restrictions advise ATC
prior to departure.

VMC ONLY

PILOT RESPONSIBLE FOR TERRAIN AVOIDANCE

① 4 NM from RWY 3L/R



DEPARTURE ROUTE DESCRIPTION

TAKEOFF RWY 3L/R:

- Remain below 3,000' MSL until north of Race Track and turned westbound.
- Turn left within 4NM of Nellis direct FLEX. Fly north of FLEX and turn left heading 270°.
- Intercept LSV R-255 between 5,000' and 6,000' , intercept and proceed outbound on the LSV R-269. Recommend climb to 8,500' MSL or appropriate VFR altitude for overflight of North Las Vegas Training Area. Fly routing for appr. mission/transition.
- ARC south, intercept LSV R-269 outbound. Maintain VFR.

TAKEOFF RWY 21L/21R:

- Follow Noise Abatement Procedures.
- Fly runway heading until past Golf Course, turn right heading 300°.
- Cross LSV R-255 between 5,000' and 6,000' , intercept and proceed outbound on the LSV R-269. Recommend climb to 8,500' MSL or appropriate VFR altitude for overflight of North Las Vegas Training Area. Fly routing for appr. mission/transition.


TRANSITIONS:

R-4806: Turn right at the LSV 269/20 direct to assigned ranges.

BEATTY: Turn right at FYTTR direct BTY via the BTY R-105

R-2508: Turn right at the FYTTR, intercept the BTY 105/30, direct TUCKY, then direct R-2508

FYTTR DEPARTURE AND TRANSITIONS (FYTTR LOW)



APPROACH ROUTE DESCRIPTION

APPROACH RWY 3L/R

Cross STRYK at or above 9,500' MSL, proceed direct GASS PEAK. Cross JORDN at or above 9,500' MSL, cross GASS PEAK at or above 8,500' MSL. Proceed direct SIMNS and cross at 5,500' MSL. Cross Las Vegas Blvd at or above 4,000' MSL then to 3,500' MSL for Initial. Remain within 4 DME if LSV on turn to final.

VFR STRAIGHT-IN RWY 3L/R

Depart CRAIG & descend to be at 3,000' MSL by Las Vegas Blvd. Do not descend below 3,000' MSL until within 5 DME of LSV or 4 NM of the runway on turn to final.

APPROACH RWY 21L/R

Cross STRYK at or above 9,500' MSL, proceed direct GASS PEAK. Cross JORDN at or above 9,500' MSL, cross GASS PEAK at or above 8,500' MSL. Cross APEX at or above 4,500' MSL then direct 5NM initial. Descend to cross PHINN at 4,000' MSL, Inside 5 NM descend to 3,500' MSL.

VFR STRAIGHT-IN RWY 21L/R

Cross APEX at 4,000' MSL. Descend to be at 3,000' MSL at PHINN. Descend to 3,000' MSL at LSV 027/5.

RANGE 63B EXIT

SOUTH: Via NIXON at or above 10,000' MSL, then direct STRYK.

EAST: Via SARAH at or above 10,000' MSL, then direct GASS PEAK.



INDIAN SPRINGS, NEVADA

TACAN INS Chan 87	APCH CRS 065 °	Rwy ldg TDZE 3113	9002 3113 Arpt Elev
----------------------	-------------------	-------------------------	---------------------------

INDIAN SPRINGS AF AUX (KINS)



* MISSED APPROACH: Straight ahead to INS TACAN, intercept INS R-outbound, cross 17 DME at or above 9500, then direkt KSV TACAN

114

NELLIS CON

CREECH AFB TOWER
118.30 660.60

GND CON


NOT FOR CIVIL USE

FOR USE UNDER BASIC VFR
WEATHER MINIMUMS ONLY

PILOT IS RESPONSIBLE FOR TERRAIN/OBSTACLE
AVOIDANCE AND
APPROPRIATE VFR CLOUD
CLEARANCE FOR ALL

CAUTION: Descent gradients
are greater than allowed under standard
TERPS criteria and inbound course
does not meet straight-in criteria


CAUTION: Final approach course crosses
Runway centerline at MIDFIELD. Maneuvering
left of course required prior to landing. Do not
Maneuver farther north than the INS R- 258



* CAUTION: Missed Approach Climb Rate to 4,700


Knots	60	120	180	240	300
V/V (fpm)	230	460	690	920	1150

Controlling Obstacle



HIGH ALTITUDE FACILITIES

EMERG SAFE ALT 100 NM 14,000



CITY OF INDIAN, NEVADA

INDIAN SPRINGS AF AUX (KINS)

(FOR DAY VFR USE ONLY)

Modified by vJaBoG 66 for use with DCS

NOT FOR REAL LIFE NAVIGATION



