

MISSION DATA CARD								
OPORD		Callsign		Mission		Date/Time		
1258/2022		Cougar		Training		062305OCT22		
Task							Freq	
AO							261.25	
Departure				Recovery				
FYTTR THREE				HI-TACAN Z RWY 21L				
#	Callsign		Pilot		IFF	TCN	LSR	NET

LOADOUT			
A/A			GUN
A/G			CHF
POD			FLR
TKS			FUEL


TOLD					
	Takeoff	Target	Joker	Bingo	Land
FUEL	11087				

AIRBASES								
	Name	TCN	ATIS	GND	TWR	RWY	Elev	ILS
Dep	Nellis AFB	12X	270.1	275.8	327.0	21L	1850	109.1
Arr	Nellis AFB	12X	270.1	275.8	327.0	21L	1850	109.1

RADIO CHANNELS		
#	Freq	Name
1		Flight/Squadron specific
2	289.4	Nellis Clearance Delivery
3	275.8	Nellis Ground
4	327.0	Nellis Tower
5	385.4	Nellis Approach/Departure West
6	273.55	Nellis Approach/Departure East
7	317.525	Nellis Control -- Sally
8	254.4	Nellis Control-- Lee
9	305.6	SOF Bullseye
10	343.725	EMERGENCY SINGLE FRQ
11	270.1	Nellis ATIS
12	360.625	Creech AFB Tower
13	250.1	HAVE QUICK 13
14	251.1	HAVE QUICK 14
15	252.1	HAVE QUICK 15
16	377.8	Blackjack
17	265.0	KC-135 AR-641A
18	360.8	KC-135MPRS AR-635
19	319.8	KC-135MPRS AR-625
20	300.05	KC-135 AR-231V

RAMROD										
0	1	2	3	4	5	6	7	8	9	
R	O	U	G	H	N	E	C	K	S	
KTC 1400 C										
	0	1	2	3	4	5	6	7	8	9
A	NSOT	CKR	JGU	AM	VB	PEL	QW	FI	YH	XD
B	HWXB	NEM	LJP	SI	CD	OFT	YU	RQ	AV	KG
C	XCGP	DYU	KWR	TE	FJ	IQN	LA	HO	BM	VS
D	UDKT	BYW	RPH	EC	FA	JSO	XG	QL	MV	NI
E	YSRW	TAF	GLQ	PB	MD	JEN	UC	VO	HX	KI
F	RTAL	MDH	IBF	EQ	SU	NPK	CY	JV	OW	GX
G	VBHR	XFY	WKN	IL	EP	QAD	US	MG	TO	JC
H	FNVG	RLE	CIP	XK	AT	HBS	DM	QY	UW	OJ
I	BNWT	DQL	ISM	RG	XH	PAO	KJ	FV	CE	UY
J	PRLU	BSX	KFQ	IV	GN	CTO	MY	DJ	HA	EW
K	ONHF	KLE	QSB	GW	TV	PXJ	RC	IY	MU	DA
L	HJMG	WLR	IET	DB	YK	VAO	XS	PU	CF	NQ
M	VLKP	AQN	WMC	UO	RJ	IEH	SD	XT	FY	BG
N	WTIN	AOK	QBX	DP	SF	VMG	CL	RY	UE	HJ
O	PTEG	YKV	HWI	NR	FJ	OXB	QS	AL	MC	UD
P	NORF	BCQ	XWI	TJ	PS	MGV	LK	HY	UE	DA
Q	AYDJ	GVB	XHI	OK	QE	TNL	PS	CW	FM	RU
R	CRQO	IWA	HLG	SD	NU	EXB	YT	MF	VK	PJ
S	VEAM	HPQ	KXG	NT	RO	FYL	SC	DB	WU	IJ
T	HVWJ	GIO	EYS	KM	XR	BCN	DL	UP	TQ	AF
U	NVQX	YFB	RIL	HW	SK	JCE	OG	AD	MU	PT
V	OJNF	HUM	IWB	CQ	TR	DLV	AS	GK	EP	XY
W	YNEK	RSU	FXB	PT	VM	LHQ	AD	GW	JC	IO
X	QWCI	RUG	OVA	TK	NM	BXL	ED	HS	PJ	YF
Y	LYMD	ARN	HFK	VW	UJ	GSO	CI	EX	PQ	TB

NAVAIDS				
Id	Name	Channel	Position	Elevation
BCE	Bryce Canyon	75	N3741.35 W11218.23	9040
BIH	Bishop	33	N3722.62 W11821.99	4114
BLD	Boulder	114	N3559.75 W11451.82	3650
BTY	Beatty	94	N3648.54 W11644.86	2925
CDC	Cedar City	120	N3747.24 W11304.90	5463
DAG	Daggett	79	N3457.75 W11634.69	1760
EED	Needles	99	N3445.96 W11428.43	650
GFS	Goffs	91	N3507.87 W11510.59	4019
GRL	Groom Lake	18	N3713.91 W11548.16	4475
HEC	Hector	74	N3447.83 W11627.78	1854
ILC	Wilson Creek	110	N3815.02 W11423.65	9318
INS	Creech AFB	87	N3635.20 W11540.12	3101
LAS	McCarran Intl	116	N3604.78 W11509.59	2142
LSV	Nellis	12	N3614.68 W11501.50	1864
MLF	Milford	58	N3821.62 W11300.79	4977
MMM	Mormon Mesa	90	N3646.16 W11416.65	2120
MVA	Mina	98	N3833.92 W11801.97	7860
OAL	Coale Dale	124	N3800.20 W11746.23	4800
PGS	Peach Springs	57	N3537.48 W11332.67	4754
TPH	Tonopah Muni	119	N3801.84 W11702.01	5330
TQQ	Silverbow	77	N3748.00 W11647.00	5500
UTI	St George	23	N3705.29 W11335.53	2871



PAR	RWY	CAT	MINIMA		ARP 36° 14.060' N 115° 01.058' W	ELEV 1857 [ft] 566 [m]	Scale 1:35'500						
	21L	A B D E	2057 - 0.8 200 (200-0.8/1.6) GS 3°				0	300	600	900	1200	1500 [m]	
	3R	A B D E	2057 - 0.8 200 (200-0.8/1.6) GS 3°				0	1000	2000	3000	4000	5000 [ft]	
SRA	21R	A C D E	2257 - 1.2 350 (350-1.2/1.6)										
	3L	A C D E	2257 - 1.2 350 (350-1.2/1.6)										
RWY		TORA		TODA		ASDA		LDA		PSN THR		ALS	
21L		10051 [ft] 3063 [m]		11051 [ft] 3368 [m]		11051 [ft] 3368 [m]		10051 [ft] 3063 [m]		36°14.043'N 115°01.018'W		⊕	
3R		10120 [ft] 3084 [m]		11120 [ft] 3398 [m]		11120 [ft] 3398 [m]		10120 [ft] 3084 [m]		36°13.029'N 115°02.038'W			
ATIS		NELLIS GROUND		NELLIS TOWER		NELLIS CONTROL		TACAN		ILS RWY 21L		NELLIS EAST	NELLIS WEST
270.100 Mhz		275.800 121.800		327.000 132.55		317.525		LSV 12X		109.10 Mhz		384.400	385.000

ATIS
270.100
NELLIS GROUND
275.800
NELLIS TOWER
327.000
NELLIS CONTROL
317.525
NELLIS DEP/APP EAST
384.400
BLACKJACK
377.800



Rwy		Knots	60	120	180	240	300	360
3L	(a)	V/V(fpm)	394	788	1182	1576	1970	2364
3R	(a)	V/V(fpm)	392	784	1176	1568	1960	2352
21L	(b)	V/V(fpm)	388	776	1164	1552	1940	2328
21R	(b)	V/V(fpm)	390	780	1170	1560	1950	2340

Minimum Climb Rate

Ⓐ to 9300

ⓑ to 13 500

CAUTION: If unable to comply with restrictions advise ATC prior to departure.


③ ④
7599 .

14.000

FYTTR

N3621.44

W11541.47



- ① 29.81 NM from Rwy 21L
- ② 29.67 NM from Rwy 21R
- ③ 15.43 NM from Rwy 3L
- ④ 15.57 NM from Rwy 3R

DEPARTURE ROUTE DESCRIPTION

TAKEOFF RWY 3L/R

- Fly runway heading until reaching 5,800'.
- Then climbing left turn to intercept LSV TACAN R-269 outbound.
- Cross FYTTR at or above 14,000' or as assigned, then via assigned route.

TAKEOFF RWY 21L/21R

- Turn right to intercept LSV TACAN R-269 outbound.
- Remain within LSV 4 DME until joining LSV R-269
- Cross R-255 between 5,000' and 6,000'.
- Cross FYTTR at or above 14,000' or as assigned, then via assigned route.

NOISE ABATEMENT PROCEDURES:

Fly according Nellis Noise Abatement instructions as published

HI-TACAN Z RWY 21L

TACAN LSV Chan 12	APCH CRS 210°	Rwy ldg 21L 10,051 TDZE 1865 Arpt Elev 1869	Rwy ldg 21R 10,120 TDZE 1869
----------------------	------------------	---	---------------------------------

JAL-227 [USAF]

NELLIS AFB (KLSV)

▼* When ALS inop, increase CAT CDE vis to 1½ miles.
 ** Circling not authorized E of Rwy 3R-21L.




† MISSED APPROACH: Climb to 15,000, intercept LSV TACAN R-210 to 2.5 DME (ROCKX), then climbing right turn heading 020° to join LSV R-358 to ARCOE and hold, continue climb in hold to 15,000. Missed approach not for civil use.

ATIS 270.1	NELLIS APP CON 124.95 273.55	NELLIS TOWER 132.55 327.0	GND CON 121.8 275.8	CLNC DEL 120.9 289.4
---------------	---------------------------------	------------------------------	------------------------	-------------------------


CAUTION: Missed approach with 200 ft/NM climb gradient not available.

† MISSED APPROACH requires use of RNAV or ATC RADAR monitoring.

Minimum NAVAID reception at ARCOE 15,000 MSL.




VGSI and descent angles not coincident (VGSI angle 3.00/TCH 54).



CATEGORY	C	D	E
S-21L *	2460-1¼	595 (600-1¼)	
SIDESTEP 21R	2460-1	591 (600-1)	
◻ CIRCLING **	2620-2¼ 751 (800-2¼)	2840-3 971 (1000-3)	3040-3 1171 (1200-3)

ELEV 1869	TDZE 21L 1865 TDZE 21R 1869
-----------	--------------------------------



HIRL all Rwy

HI-TACAN Z RWY 21L