

MISSION DATA CARD								
OPORD		Callsign		Mission		Date/Time		
2076/2023		Edelweiss 1		Training		221633AUG23		
Task							Freq	
AO							264.15	
Departure				Recovery				
FYTTR LOW				STRYK				
#	Callsign		Pilot		IFF	TCN	LSR	NET
-1	Edelweiss 1-1		Kosmoss		1711	21Y	1711	

LOADOUT							
A/A						GUN	
A/G						CHF	
POD						FLR	
TKS						FUEL	

TOLD					
	Takeoff	Target	Joker	Bingo	Land
FUEL	10803				


AIRBASES								
	Name	TCN	ATIS	GND	TWR	RWY	Elev	ILS
Dep	Nellis AFB	12X	270.1	275.8	327.0	21L	1850	109.1
Arr	Nellis AFB	12X	270.1	275.8	327.0	21L	1850	109.1
Div	Creech AFB	87X	290.45	275.8	360.6			

FLIGHTPLAN				
#	Name	Navaid/Coords/DME	ALT	TOT
1	Nellis	N36 14.680 W115 01.500		
2	FYTTR	LSV 269/33 (N36 21.440 W115 41.470)	14000	
3	STRYK	LSV 282/26 (N36 25.620 W115 30.700)	9500	

RADIO CHANNELS		
#	Freq	Name
1		Flight/Squadron specific
2	289.4	Nellis Clearance Delivery
3	275.8	Nellis Ground
4	327.0	Nellis Tower
5	385.4	Nellis Approach/Departure West
6	273.55	Nellis Approach/Departure East
7	317.525	Nellis Control -- Sally
8	254.4	Nellis Control-- Lee
9	305.6	SOF Bullseye
10	343.725	EMERGENCY SINGLE FRQ
11	270.1	Nellis ATIS
12	360.625	Creech AFB Tower
13	250.1	HAVE QUICK 13
14	251.1	HAVE QUICK 14
15	252.1	HAVE QUICK 15
16	377.8	Blackjack
17	265.0	KC-135 AR-641A
18	360.8	KC-135MPRS AR-635
19	319.8	KC-135MPRS AR-625
20	300.05	KC-135 AR-231V

RAMROD										
0	1	2	3	4	5	6	7	8	9	
R	A	V	E	N	O	U	S	L	Y	
KTC 1400 C										
	0	1	2	3	4	5	6	7	8	9
A	XBOE	MKI	QFP	SG	DN	LUW	AC	TH	RY	JV
B	HUXV	PNG	YLT	JD	KB	OES	QA	MR	FI	WC
C	TILK	OAV	UEJ	NY	BF	SHX	QR	GM	CP	WD
D	DPXY	UBK	WST	QL	AI	OMC	JF	VH	GE	RN
E	TXAO	RYW	ISM	EN	JV	QCK	UD	LF	GP	BH
F	IBEW	YUV	HNR	CK	OJ	ASP	DQ	XT	GL	MF
G	UJGW	IBH	KON	DQ	YS	AEP	LV	FR	CM	XT
H	JBHV	WMP	SXA	LI	FO	ERQ	NG	TD	YC	UK
I	RSOD	JWM	PTU	HK	AX	IVY	QE	LB	FC	GN
J	WIEH	UVD	BLJ	PO	ST	YNX	FR	QC	GA	MK
K	YSTJ	KNW	PAO	FE	BC	DUQ	HI	XV	GL	RM
L	INKL	DEO	WVR	HQ	PG	UJS	XT	AC	YB	FM
M	ITYK	EFW	JGR	OP	MC	BAX	DH	VL	NS	QU
N	YEOV	IAP	TUN	QB	JR	SGX	CK	LW	DF	HM
O	KUOI	AEN	CLR	SX	DT	YWF	JV	MP	QH	GB
P	YMGR	LJF	AVP	HW	SN	QEU	DT	IB	XO	CK
Q	GCLO	UMH	QED	NJ	BY	PAK	TW	RI	XV	FS
R	UYAX	KGQ	WJN	EO	CM	RLT	BS	FV	PI	HD
S	EQKV	LSC	IPR	GA	DH	TOF	BY	JW	UX	NM
T	TVFQ	NXL	MPY	AJ	OI	WUR	CH	BS	DE	KG
U	XIYM	JWC	SUO	PH	BV	KRE	AQ	NG	DL	TF
V	MSVW	JCB	TEY	QA	GO	LHD	NR	UK	FI	XP
W	VCHD	YEI	OMG	XR	UP	TBN	QK	LA	WJ	SF
X	YHVU	WJM	EBO	LI	DP	KNR	TF	AC	SX	GQ
Y	RLWB	FGC	VMI	DN	TS	AJX	EO	PK	UH	QY

NAVAIDS				
Id	Name	Channel	Position	Elevation
BCE	Bryce Canyon	75	N3741.35 W11218.23	9040
BIH	Bishop	33	N3722.62 W11821.99	4114
BLD	Boulder	114	N3559.75 W11451.82	3650
BTY	Beatty	94	N3648.54 W11644.86	2925
CDC	Cedar City	120	N3747.24 W11304.90	5463
DAG	Daggett	79	N3457.75 W11634.69	1760
EED	Needles	99	N3445.96 W11428.43	650
GFS	Goffs	91	N3507.87 W11510.59	4019
GRL	Groom Lake	18	N3713.91 W11548.16	4475
HEC	Hector	74	N3447.83 W11627.78	1854
ILC	Wilson Creek	110	N3815.02 W11423.65	9318
INS	Creech AFB	87	N3635.20 W11540.12	3101
LAS	McCarran Intl	116	N3604.78 W11509.59	2142
LSV	Nellis	12	N3614.68 W11501.50	1864
MLF	Milford	58	N3821.62 W11300.79	4977
MMM	Mormon Mesa	90	N3646.16 W11416.65	2120
MVA	Mina	98	N3833.92 W11801.97	7860
OAL	Coale Dale	124	N3800.20 W11746.23	4800
PGS	Peach Springs	57	N3537.48 W11332.67	4754
TPH	Tonopah Muni	119	N3801.84 W11702.01	5330
TQQ	Silverbow	77	N3748.00 W11647.00	5500
UTI	St George	23	N3705.29 W11335.53	2871




PAR	RWY	CAT	MINIMA		ARP 36° 14.060' N 115° 01.058' W	ELEV 1857 [ft] 566 [m]	Scale 1:35'500						
	21L	A B D E	2057 - Q.8 200 (200-0.8/1.6) GS 3°				0	300	600	900	1200	1500 [m]	
	3R	A B D E	2057 - 0.8 200 (200-0.8/1.6) GS 3°				0	1000	2000	3000	4000	5000 [ft]	
SRA	21R	A C D E	2257 - 1.2 350 (350-1.2/1.6)										
	3L	A C D E	2257 - 1.2 350 (350-1.2/1.6)										
RWY		TORA		TODA		ASDA		LDA		PSN THR		ALS	
21L		10051 [ft] 3063 [m]		11051 [ft] 3368 [m]		11051 [ft] 3368 [m]		10051 [ft] 3063 [m]		36°14.043'N 115°01.018'W		⊕	
3R		10120 [ft] 3084 [m]		11120 [ft] 3398 [m]		11120 [ft] 3398 [m]		10120 [ft] 3084 [m]		36°13.029'N 115°02.038'W			
ATIS		NELLIS GROUND		NELLIS TOWER		NELLIS CONTROL		TACAN		ILS RWY 21L		NELLIS EAST	NELLIS WEST
270.100 Mhz		275.800 121.800		327.000 132.55		317.525		LSV 12X		109.10 Mhz		384.400	385.000

VAR 12.3°E

PILOT RESPONSIBLE FOR TERRAIN AVOIDANCE

NELLIS
Chan 12 LSV


v.1aBoG32 NTTR NAV CHART



APPROACH ROUTE DESCRIPTION

APPROACH RWY 3L/R

Cross STRYK at or above 9,500' MSL, proceed direct GASS PEAK. Cross JORDN at or above 9,500' MSL, cross GASS PEAK at or above 8,500' MSL. Proceed direct SIMNS and cross at 5,500' MSL. Cross Las Vegas Blvd at or above 4,000' MSL then to 3,500' MSL for Initial. Remain within 4 DME if LSV on turn to final.

VFR STRAIGHT-IN RWY 3L/R

Depart CRAIG & descend to be at 3,000' MSL by Las Vegas Blvd. Do not descend below 3,000' MSL until within 5 DME of LSV or 4 NM of the runway on turn to final.

APPROACH RWY 21L/R

Cross STRYK at or above 9,500' MSL, proceed direct GASS PEAK. Cross JORDN at or above 9,500' MSL, cross GASS PEAK at or above 8,500' MSL. Cross APEX at or above 4,500' MSL then direct 5NM initial. Descend to cross PHINN at 4,000' MSL, Inside 5 NM descend to 3,500' MSL.

VFR STRAIGHT-IN RWY 21L/R

Cross APEX at 4,000' MSL. Descend to be at 3,000' MSL at PHINN. Descend to 3,000' MSL at LSV 027/5.

RANGE 63B EXIT

SOUTH: Via NIXON at or above 10,000' MSL, then direct STRYK.

EAST: Via SARAH at or above 10,000' MSL, then direct GASS PEAK.



INDIAN SPRINGS, NEVADA

TACAN INS Chan 87	APCH CRS 065 °	Rwy ldg TDZE 3133	3002 3113
		Arpt Elev	3113

INDIAN SPRINGS AF AUX (KINS)

T	* MISSED APPROACH: Straight ahead to INS TACAN, intercept INS R-outbound, cross 17 DME at or above 9500, then direkt KSV TACAN	114
----------	--	-----

NELLIS CON -	CREECH AFB TOWER 118.30 660.60	GND CON -
-----------------	-----------------------------------	--------------


NOT FOR CIVIL USE

FOR USE UNDER BASIC VFR
WEATHER MINIMUMS ONLY

PILOT IS RESPONSIBLE FOR TERRAIN/OBSTACLE
AVOIDANCE AND
APPROPRIATE VFR CLOUD
CLEARANCE FOR ALL

CAUTION: Descent gradients
are greater than allowed under standard
TERPS criteria and inbound course
does not meet straight-in criteria

CAUTION: Final approach course crosses
Runway centerline at MIDFIELD. Maneuvering
left of course required prior to landing. Do not
Maneuver farther north than the INS R- 258



* CAUTION: Missed Approach Climb Rate to 4,700

Knots	60	120	180	240	300
V/V (fpm)	230	460	690	920	1150

Controlling Obstacle

HIGH ALTITUDE FACILITIES

EMERG SAFE ALT 100 NM 14,000

					ELEV 3129	
CATEGORY	A	B	C	D	E	
S-8	3760-1 ½	627 (700-1 ½)	3760-1¾ 627 (700-1¾)	3760-2 627 (700-2)	3760-2¼ 627 (700-2¼)	
CIRCLING	NOT AUTHORIZED					MIRL Rwy 8-26

CITY OF INDIAN, NEVADA

INDIAN SPRINGS AF AUX (KINS)

(FOR DAY VFR USE ONLY)

Modified by vJaBoG 66 for use with DCS

NOT FOR REAL LIFE NAVIGATION



