

MISSION DATA CARD								
OPORD		Callsign		Mission		Date/Time		
2151/2023		Raptor 1		Training		142000SEP23		
Task	Mav + TGP						Freq	
AO	R61						134.0	
Departure				Recovery				
DREAM FOUR				STRYK				
#	Callsign		Pilot		IFF	TCN	LSR	NET
-1	Raptor 1-1		Cyking		1611	21Y	1561	
-2	Raptor 1-2		Hercules		1612	84Y	1562	
-3	Raptor 1-3		Void		1613	84X	1563	

LOADOUT			
A/A	2xA9L	GUN	100% HEI-T
A/G	4xA65D	CHF	30
POD	TGP	FLR	90
TKS	2xFT300	FUEL	100%

TOLD					
	Takeoff	Target	Joker	Bingo	Land
FUEL	11169				

AIRBASES								
	Name	TCN	ATIS	GND	TWR	RWY	Elev	ILS
Dep	Nellis AFB	12X	270.1	275.8	327.0	21L	1850	109.1
Arr	Nellis AFB	12X	270.1	275.8	327.0	21L	1850	109.1
Div	Creech AFB	87X	290.45	275.8	360.6			

FLIGHTPLAN				
#	Name	Navaid/Coords/DME	ALT	TOT
1	DREAM	LAS 354/66 BLD 342/71 (N37 10.340 W114 59.530)	20000	
2	TROUTT	LSV 323/63 (N37 17 W115 07.050)	20000	
3	T61.01	N37 09.575 W115 25.575	3822	
4	T61.03	N37 09.087 W115 23.513	3778	
5	SARAH	LSV 315/25 (N36 36.450 W115 18.030)	12000	
6	KRYSS	N36 30.369 W114 44.190	10000	
7	Nellis	N36 14.680 W115 01.500	1800	

COMMS	
Radio	Usage
1	11, 3 , 4, 16, 11, 4, 3,

NOTES

$V_r = 190 \text{ kts}$


SUPPORT				
Tanker				
Callsign	TCN	Freq	ALT	TAS
TEXACO 2	95Y	289.7	FL220	420
	Pos	Pegasus.1: CDC 166/102 (N3730 W11440)		

OTHER FLIGHTS						
Callsign	Mission	Airframe	Freq	TCN	Grpld	Laser
Vanguard 1	Training	1x AV-8B N/A	264.55	21/84		156X
AO		Task				
Cougar 3	Training	2x F/A-18C	263.45	21/84		156X
AO	PAHUTE MESA	Task	SEAD			
Tiger 5	Training	2x F/A-18C	263.65	21/84		156X
AO	PAHUTE MESA	Task	SEAD			
Cougar 7	Training	2x F/A-18C	263.85	21/84		156X
AO	PAHUTE MESA	Task	SEAD			
Hawg 1	Training	2x A-10C	132.55	21/84	11	156X
AO	LATNC	Task	Buddy Lase			
Outlaw* 5	Training	2x AH-64D	133.5	21/84		156X
AO	LATNC	Task	Buddy Lase			
Nazgul*	Training	4x F-15E	261.25	21/84		156X
AO		Task	AAR Night			
Edelweiss 1	Training	1x F/A-18C	264.15	21/84		171X
AO		Task				
Panther 6	Training	2x F/A-18C	263.75	21/84		156X
AO	PAHUTE MESA	Task	SEAD			

RADIO CHANNELS		
#	Freq	Name
1		Flight/Squadron specific
2	289.4	Nellis Clearance Delivery
3	275.8	Nellis Ground
4	327.0	Nellis Tower
5	385.4	Nellis Approach/Departure West
6	273.55	Nellis Approach/Departure East
7	317.525	Nellis Control -- Sally
8	254.4	Nellis Control-- Lee
9	305.6	SOF Bullseye
10	343.725	EMERGENCY SINGLE FRQ
11	270.1	Nellis ATIS
12	360.625	Creech AFB Tower
13	250.1	HAVE QUICK 13
14	251.1	HAVE QUICK 14
15	252.1	HAVE QUICK 15
16	377.8	Blackjack
17	265.0	KC-135 AR-641A
18	360.8	KC-135MPRS AR-635
19	319.8	KC-135MPRS AR-625
20	300.05	KC-135 AR-231V

RAMROD										
0	1	2	3	4	5	6	7	8	9	
R	E	P	U	B	L	I	C	A	N	
KTC 1400 C										
	0	1	2	3	4	5	6	7	8	9
A	FTIB	OXp	HJR	AG	KS	UVY	ME	CQ	LN	DW
B	OBAY	VTL	RWU	SJ	CI	DXN	GM	PE	HK	QF
C	AGJL	SMR	XEV	WT	KI	BUO	DF	HP	QY	NC
D	JSBR	TMH	YGI	FE	UO	PVQ	WN	CL	XK	AD
E	YNWL	BSR	OFU	TG	QK	IPM	AC	EX	VH	DJ
F	VQOH	JEM	GXA	FY	UN	PSD	CB	RW	KL	IT
G	KYVI	SAG	DHR	EW	PF	NXL	MT	UB	OC	QJ
H	FIQA	BDS	XYN	HG	KV	UCP	RT	LW	OJ	EM
I	FDRL	XKW	NUJ	OA	IT	QEV	CY	PS	MB	HG
J	JPRT	ALH	EKF	CD	XS	VNM	QI	WG	YU	BO
K	BRNU	VMC	LIF	YO	GX	TSK	JQ	PW	DE	AH
L	LHWP	BFC	TQI	OE	XA	SUV	MD	NG	YJ	RK
M	JFKG	YSR	BAL	IX	TO	PDW	UC	VH	EQ	NM
N	KMUO	WCV	TQP	LH	ED	XGJ	BN	YR	IF	SA
O	BFGM	JAI	TQC	XL	PH	WKU	NY	SV	OE	RD
P	GMHB	WCR	ANT	KX	ID	SFJ	QL	VE	YO	UP
Q	VDGB	LWI	KAP	MR	EF	COU	XT	JY	SH	NQ
R	KUOA	LYF	NRC	MW	PX	TSE	IQ	GB	JV	DH
S	DEFV	JRY	GUM	IK	XN	OBH	WL	QC	SP	TA
T	YDQV	UAB	KCR	NH	MX	WOT	FP	LE	GS	IJ
U	PJUY	IMT	BSR	LE	XH	VOD	CK	AQ	FG	NW
V	LDVN	EIJ	KXP	CS	YU	TOF	HG	RA	BQ	MW
W	HAVL	PUC	TEG	JO	RY	DQI	XN	FS	MW	BK
X	ELAH	KPY	JQM	WF	NV	OBT	SC	XI	UR	DG
Y	QABI	NLV	UYW	DJ	TX	KCG	SP	EF	HR	OM

NAVAIDS				
Id	Name	Channel	Position	Elevation
BCE	Bryce Canyon	75	N3741.35 W11218.23	9040
BIH	Bishop	33	N3722.62 W11821.99	4114
BLD	Boulder	114	N3559.75 W11451.82	3650
BTY	Beatty	94	N3648.54 W11644.86	2925
CDC	Cedar City	120	N3747.24 W11304.90	5463
DAG	Daggett	79	N3457.75 W11634.69	1760
EED	Needles	99	N3445.96 W11428.43	650
GFS	Goffs	91	N3507.87 W11510.59	4019
GRL	Groom Lake	18	N3713.91 W11548.16	4475
HEC	Hector	74	N3447.83 W11627.78	1854
ILC	Wilson Creek	110	N3815.02 W11423.65	9318
INS	Creech AFB	87	N3635.20 W11540.12	3101
LAS	McCarran Intl	116	N3604.78 W11509.59	2142
LSV	Nellis	12	N3614.68 W11501.50	1864
MLF	Milford	58	N3821.62 W11300.79	4977
MMM	Mormon Mesa	90	N3646.16 W11416.65	2120
MVA	Mina	98	N3833.92 W11801.97	7860
OAL	Coale Dale	124	N3800.20 W11746.23	4800
PGS	Peach Springs	57	N3537.48 W11332.67	4754
TPH	Tonopah Muni	119	N3801.84 W11702.01	5330
TQQ	Silverbow	77	N3748.00 W11647.00	5500
UTI	St George	23	N3705.29 W11335.53	2871



PAR	RWY	CAT	MINIMA	ARP	ELEV	Scale 1:35'500
	21L	A B D E	2057 - 0.8 200 (200-0.8/1.6) GS 3"	36° 14.060' N	1857 [ft]	0 300 600 900 1200 1500 [m]
	3R	A B D E	2057 - 0.8 200 (200-0.8/1.6) GS 3"	115° 01.058' W	566 [m]	0 1000 2000 3000 4000 5000 [ft]
SRA	21R	A C D E	2257 - 1.2 350 (350-1.2/1.6)			
	3L	A C D E	2257 - 1.2 350 (350-1.2/1.6)			

RWY	TORA	TODA	ASDA	LDA	PSN THR	ALS
21L	10051 [ft] 3063 [m]	11051 [ft] 3368 [m]	11051 [ft] 3368 [m]	10051 [ft] 3063 [m]	36°14.043'N 115°01.018'W	⊕
3R	10120 [ft] 3084 [m]	11120 [ft] 3398 [m]	11120 [ft] 3398 [m]	10120 [ft] 3084 [m]	36°13.029'N 115°02.038'W	

ATIS	NELLIS GROUND	NELLIS TOWER	NELLIS CONTROL	TACAN	ILS RWY 21L	NELLIS EAST	NELLIS WEST
270.100 Mhz	275.800 121.800	327.000 132.55	317.525	LSV 12X	109.10 Mhz	384.400	385.000

ATIS
270.100
NELLIS GROUND
275.800
NELLIS TOWER
327.000
NELLIS CONTROL
317.525
NELLIS DEP/APP EAST
384.400
BLACKJACK
377.800

DREAM
N3710.34
W11459.53

MINTT
LAS 351/38
17,000

Rwy	Knots	60	120	180	240	300	360
* 3 L (a)	V/V(fpm)	269	538	807	1076	1345	1614
* 3 R (b)	V/V(fpm)	245	490	735	980	1225	1470
† 3 L (c)	V/V(fpm)	498	996	1494	1992	2490	2988
† 3 R (c)	V/V(fpm)	496	992	1488	1984	2480	2976
* 21 L (d)	V/V(fpm)	389	778	1167	1556	1945	2334
* 21 R (d)	V/V(fpm)	395	790	1185	1580	1975	2370
† 21 L (c)	V/V(fpm)	453	906	1359	1812	2265	2718
† 21 R (c)	V/V(fpm)	457	914	1371	1828	2285	2742

* Minimum † ATC Climb Rate

- (a) to 3600
- (b) to 3100
- (c) to 17,000
- (d) to 8500


** Lead DME:
ATALF - LSV 9.5
HEREM - LSV 8.8

- ① 12.24 NM from Rwy 21R
- ② 12.40 NM from Rwy 21L
- ③ 5.67 NM from Rwy 3L
- ④ 5.85 NM from Rwy 3R

NOT FOR CIVIL USE

CAUTION: If unable to comply with restrictions advise ATC prior to departure.

LAS VEGAS
116.9 LAS
Chan 116



NELLIS
Chan 12 LSV

BOULDER CITY
116.7 BLD
Chan 114

VAR 12.3°E



DEPARTURE ROUTE DESCRIPTION

TAKE-OFF RWY 3L

- Fly runway heading to intercept the LSV TACAN R-028 then direct ATALF, intercept the BLD VORTAC R-346 then direct JUNNO, cross JUNNO at or above 17,000, then via assigned route.


TAKE-OFF RWY 3R

- Fly runway heading to intercept the LSV TACAN R-031 then direct HEREM, intercept the BLD VORTAC R-346 then direct JUNNO, cross JUNNO at or above 17,000, then via assigned route.

TAKE-OFF RWY 21L/R

- Turn right to intercept LAS VORTAC R-351 outbound. Remain North of LAS 7.5 DME turning Northbound. Intercept LAS R-351 between 5000 and 6000, do not proceed West of LAS R-351. Cross MINTT at or above 17,000, then via assigned route.

NOISE ABATMENT PROCEDURES: Fly acc. Nellis Noise Abatement instructions



APPROACH ROUTE DESCRIPTION

APPROACH RWY 3L/R

Cross STRYK at or above 9,500' MSL, proceed direct GASS PEAK. Cross JORDN at or above 9,500' MSL, cross GASS PEAK at or above 8,500' MSL. Proceed direct SIMNS and cross at 5,500' MSL. Cross Las Vegas Blvd at or above 4,000' MSL then to 3,500' MSL for Initial. Remain within 4 DME if LSV on turn to final.

VFR STRAIGHT-IN RWY 3L/R

Depart CRAIG & descend to be at 3,000' MSL by Las Vegas Blvd. Do not descend below 3,000' MSL until within 5 DME of LSV or 4 NM of the runway on turn to final.

APPROACH RWY 21L/R

Cross STRYK at or above 9,500' MSL, proceed direct GASS PEAK. Cross JORDN at or above 9,500' MSL, cross GASS PEAK at or above 8,500' MSL. Cross APEX at or above 4,500' MSL then direct 5NM initial. Descend to cross PHINN at 4,000' MSL, Inside 5 NM descend to 3,500' MSL.

VFR STRAIGHT-IN RWY 21L/R

Cross APEX at 4,000' MSL. Descend to be at 3,000' MSL at PHINN. Descend to 3,000' MSL at LSV 027/5.

RANGE 63B EXIT

SOUTH: Via NIXON at or above 10,000' MSL, then direct STRYK.

EAST: Via SARAH at or above 10,000' MSL, then direct GASS PEAK.



INDIAN SPRINGS, NEVADA

TACAN INS Chan 87	APCH CRS 065 °	Rwy ldg TDZE Arpt Elev	9002 3133 3113
----------------------	-------------------	------------------------------	----------------------

INDIAN SPRINGS AF AUX (KINS)



* MISSED APPROACH: Straight ahead to INS TACAN, intercept INS R-outbound, cross 17 DME at or above 9500, then direkt KSV TACAN

114

NELLIS CON

CREECH AFB TOWER
118.30 660.60

GND CON


NOT FOR CIVIL USE

FOR USE UNDER BASIC VFR
WEATHER MINIMUMS ONLY

PILOT IS RESPONSIBLE FOR TERRAIN/OBSTACLE
AVOIDANCE AND
APPROPRIATE VFR CLOUD
CLEARANCE FOR ALL

CAUTION: Descent gradients
are greater than allowed under standard
TERPS criteria and inbound course
does not meet straight-in criteria

CAUTION: Final approach course crosses
Runway centerline at MIDFIELD. Maneuvering
left of course required prior to landing. Do not
Maneuver farther north than the INS R- 258





* CAUTION: Missed Approach Climb Rate to 4,700

Knots	60	120	180	240	300
V/V (fpm)	230	460	690	920	1150

Controlling Obstacle

HIGH ALTITUDE FACILITIES

EMERG SAFE ALT 100 NM 14,000



CITY OF INDIAN, NEVADA

INDIAN SPRINGS AF AUX (KINS)

(FOR DAY VFR USE ONLY)

Modified by vJaBoG 66 for use with DCS

NOT FOR REAL LIFE NAVIGATION



