

MISSION DATA CARD								
OPORD		Callsign		Mission		Date/Time		
4137/2025		Tiger 1		Training		062000OCT25		
Task	BVR Training						Freq	
AO	ENR01						261.15	
Departure				Recovery				
				CASE I				
#	Callsign		Pilot		IFF	TCN	LSR	NET
-2	Tiger 1-2		Prinz		1012	64Y	1552	01/02
-3	Tiger 1-3		Kosmoss		1013	64X	1553	01/03
-4	Tiger 1-4		Hawk		1014	1X	1554	01/04

LOADOUT			
A/A		GUN	
A/G		CHF	
POD		FLR	
TKS		FUEL	

TOLD					
	Takeoff	Target	Joker	Bingo	Land
FUEL	10803			4500	2000

AIRBASES								
	Name	TCN	ATIS	GND	TWR	RWY	Elev	ILS
Arr	CVN-71 USS Theodore Roosevelt	71X		ICLS 7	304.0			
Div	Banak	47X			250.5	34	26	109.1

FLIGHTPLAN				
#	Name	Navaid/Coords/DME	ALT	TOT
1	A	N70 22.611 E023 36.554	25000	
2	B	N69 45.649 E018 16.852	25000	

COMMS	
Radio	Usage
1	12(TR) , 16(HD), 11(SH1), 16(HD), 12(TR)
2	Inhouse 261.15
3	MIDS A: 22 / B: 44

SUPPORT				
Tanker				
Callsign	TCN	Freq	ALT	TAS
SHELL 1	41Y	360.8		

	Pos	
--	-----	--


AWACS			
Callsign	Freq	ALT	Pos
HEIMDALL	348.7		
LOKI	347.8		

OTHER FLIGHTS						
Callsign	Mission	Airframe	Freq	TCN	GrpId	Laser
Raptor 1	Training	4x F-16C	134.0	1/64		162X
	AO	ESR01	Task	SEAD		
T-Rex 1	Training	4x A-10C	132.25	1/64	25	165X
	AO	ESR03	Task	A2G Training		
Snake 1	Training	4x AH-64D	133.5	1/64		170X
	AO	Ivalo	Task			
Wolf* 1	Training	4x CH-47F	133.5	1/64		170X
	AO	Ivalo	Task			
Raptor 2	Training	4x F-16C	134.25	1/64		162X
	AO	ESR01	Task	SEAD		
Panther 3	Training	4x F/A-18C	261.35	1/64	2	155X
	AO	ENR06	Task	Anti Ship		
Axe 1	Training	1x JF-17	264.05	1/64		170X
	AO		Task			

RADIO CHANNELS		
#	Freq	Name
1		Flight/Squadron specific
2	282.8	Rovaniemi ATIS
3	282.5	Rovaniemi Ground
4	250.55	Rovaniemi Tower
5	320.7	Bodo ATIS
6	250.75	Bodo Tower
7	235.45	Kallax ATIS
8	250.3	Kallax Tower
9	265.0	Texaco-1 KC-135 Medium / Slow 71Y
10	319.8	Arco-1 KC-135 High / Fast 22Y
11	360.8	Shell-1 KC-135 MPRS High / Fast 41Y
12	304.0	CVN-71 Rough Rider (RRR) 71X
13	303.0	LHA-1 Tarawa (TWA) 79X
14	247.8	S-3B Mauler-1 (MAU) 64Y
15	347.8	Loki (E-2D)
16	348.7	Heimdall (E-3A)
17	242.17	ESR02 - CAS Range Operator
18	34.7	ESR02 - JTAC Odin
19	270.5	Blue
20	270.75	Red

RAMROD										
0	1	2	3	4	5	6	7	8	9	
C	O	R	N	F	L	A	K	E	S	
KTC 1400 C										
	0	1	2	3	4	5	6	7	8	9
A	EAOT	JPQ	LDS	MU	GC	VRW	FH	XN	BY	IK
B	JHTY	VLN	EGX	CD	IQ	MSW	PB	FA	UO	RK
C	IOKW	JND	MRV	GB	AU	CHS	PX	EF	YL	TQ
D	NQHK	OWB	MCR	FG	LD	EVJ	ST	XP	IU	AY
E	PNVI	TOR	FKH	DC	BG	JWU	XS	YL	AQ	EM
F	AEOX	NPF	QYS	KU	HB	LWR	JM	VI	TD	CG
G	BASI	OTH	JXR	UV	EK	DLN	FY	QG	MP	WC
H	MHCO	FQI	DSP	LX	TK	AYU	BR	EV	JW	GN
I	WYXH	JMT	LRE	PN	DO	CSB	FI	UA	VQ	GK
J	KJSW	UQB	RAX	NY	DI	GFM	HC	LE	TO	VP
K	QFND	TYB	ORG	JW	XI	PUC	ML	EH	KS	AV
L	YGLW	QSD	ERN	IM	PU	CJV	OX	BH	KA	FT
M	HTBM	YIC	OLA	UQ	PN	KDE	FJ	XR	GS	VW
N	SJMT	GKV	DBE	HO	WL	QIP	RN	YC	FU	XA
O	RXPE	JNA	IFQ	KD	VG	BLW	CO	TY	UM	HS
P	XKMD	YIV	ORF	WQ	UJ	BSC	GN	HA	ET	LP
Q	HWBA	GYE	KTI	XO	UD	LSV	CR	QN	FP	JM
R	KYUX	EMP	SQD	TO	RJ	LWH	FA	CB	NG	VI
S	FWQB	ROD	JKC	UY	PI	ALS	GE	XT	MH	VN
T	BGTP	JHR	VAU	KF	WC	DYO	EN	IM	SQ	LX
U	BXSA	QRP	GFE	IC	MU	KJO	NL	VY	WT	DH
V	VJGH	ORP	BYW	ML	KQ	XTE	ND	UA	IC	SF
W	LXKJ	SFE	NOR	MU	CI	YWT	DQ	PH	VB	GA
X	PSDG	EBQ	HKF	IJ	UM	OTY	VN	LW	AR	XC
Y	GUEO	MAN	KTJ	HF	SC	BXW	PL	VQ	DY	IR

NAVAIDS				
Id	Name	Channel	Position	Elevation
BOO	Bodo	45	N67 15.838 E014 20.046	43
BNK	Banak	47	N70 03.937 E024 58.181	17
OYA	Andoya	28	N69 17.175 E016 08.658	19





MIPS INSTRUMENT APPROACH CHART

AD ELEV 26

HPMA ILS or LOC RWY 34
BANAK (ENNA)

ATIS
N/A

BANAK TWR / APPR
250.50 / 348.7

LOCALIZER/DME	APP COURSE	GS INTCP ALT	GS	DA	THR ELEV	ALS	LDA
BA 108.300 / CH 20X	342°	3500	3.5°	251	25	737 m	8543

CAUTION:

- CIRCLING NOT AUTHORIZED WEST OF RWY.


b) NOTE:

DME REQUIRED.

- c) DME FROM BNK UNLESS INDICATED OTHERWISE.

- d) INTERMEDIATE SEGMENT STEEPER THAN STANDARD PER AATCP-1.

IAF
69°49.28' N
024°49.19' E




DME	2	3	4	5	6	7	8	9	FL 100	FL 90	FL 80	TA 7000
ALT BNK	-	1000	1380	1760	2140	2520	2910	3290	FL 100	FL 90	FL 80	TA 7000
ALT BA	760	1130	1510	1890	2270	2660	3040	3430	FL 100	FL 90	FL 80	TA 7000

MISSED APPROACH

Climb straight ahead. When passing 500 ft, intercept BNK R-353 outbound. Passing 4000 ft, turn right DCT BNK. Passing BNK continue outbound on R-179 to IAF. Climb to FL 090.

TACAN



CATEGORY	HPMA
S-ILS 34	251 - 550 226 (300 - 0.8/1.2)
S-LOC 34	670 - 2300 645 (700 - 2.3/3.0)
● CIRCLING	1100 - 3.2 1074 (1100 - 3.2)

HPMA ILS or LOC RWY 34

70°04.00' N
024°58.43' E

BANAK (ENNA)

vJaBoG32

TWR/GND : 250.50
Heimdall : 348.7

