

MISSION DATA CARD						
OPORD		Callsign	Mission	Date/Time		
571/2022		Boar 1	Training	282000FEB22		
Task	IFR					Freq
AO						261.35
Departure			Recovery			
FYTTR THREE			HI-ILS or LOC/DME Z RWY 21L			
#	Callsign	Pilot	IFF	TCN	LSR	NET
-1	Boar 1-1	Butcher	1101	1Y	1561	

LOADOUT			
A/A		GUN	
A/G		CHF	
POD		FLR	
TKS		FUEL	

TOLD					
	Takeoff	Target	Joker	Bingo	Land
FUEL	3197				

AIRBASES								
	Name	TCN	ATIS	GND	TWR	RWY	Elev	ILS
Dep	Nellis AFB	12X	270.1	275.8	327.0	21L	1850	109.1
Arr	Nellis AFB	12X	270.1	275.8	327.0	21L	1850	109.1
Div	Creech AFB	87X	290.45	275.8	360.6			

FLIGHTPLAN				
#	Name	Navaid/Coords/DME	ALT	TOT
1	TNNIT	N36 24.9 W115 23.1	1200 m	
2	HARLS	N36 04 W115 22.8	2100 m	
3	ENNVY	N36 01 W115 21.2	2100 m	
4	KIBSE	N35 56.3 W115 14.7	1510 m	
5	LAS	N36 04.9 W115 10.9	50 m GND	
6	BLD	N35 59.7 W114 51.8	1500 m	
7	SUVIE	N36 21.6 W114 48.3	1500 m	
8	JENAR	N36 19.9 W114 55.7	1320 m	

COMMS	
Radio	Usage
1	Nellis GND/TWR; BLACK JACK

NOTES


Zwei Aussentanks, NVG

OTHER FLIGHTS						
Callsign	Mission	Airframe	Freq	TCN	Grpld	Laser
Tiger 1	Training	3x F/A-18C	261.15	11/74	1	155X
	AO	NTTR	Task	IFR Training		
Monster 1	Training	3x A-10C	132.15	25/88	21	161X
	AO		Task	IFR		
T-Rex 2	Training	4x A-10C	132.25	27/90	25	165X
	AO		Task	ILS Training		
Cougar 1	Training	4x F-14B	264.25	20/83		156X
	AO		Task	IFR		
Tiger 2	Training	4x F/A-18C	261.25	12/75	1	156X
	AO	NTTR	Task	IFR & GPS Guided Training		
Edelweiss 1	Training	3x F/A-18C	264.15	34/97	1	170X
	AO	NTTR	Task	IFR Training		
Playboy 1	Training	1x F/A-18C	132.25	27/90	25	165X
	AO		Task	ILS Training		
T-Rex 2	Training	4x A-10C	132.25	27/90	25	165X
	AO		Task	ILS Training		

RADIO CHANNELS		
#	Freq	Name
1		Flight/Squadron specific
2	289.4	Nellis Clearance Delivery
3	275.8	Nellis Ground
4	327.0	Nellis Tower
5	385.4	Nellis Approach/Departure West
6	273.55	Nellis Approach/Departure East
7	317.525	Nellis Control -- Sally
8	254.4	Nellis Control-- Lee
9	305.6	SOF Bullseye
10	343.725	EMERGENCY SINGLE FRQ
11	270.1	Nellis ATIS
12	360.625	Creech AFB Tower
13	250.1	HAVE QUICK 13
14	251.1	HAVE QUICK 14
15	252.1	HAVE QUICK 15
16	377.8	Blackjack
17	265.0	KC-135 AR-641A
18	360.8	KC-135MPRS AR-635
19	319.8	KC-135MPRS AR-625
20	300.05	KC-135 AR-231V

RAMROD										
0	1	2	3	4	5	6	7	8	9	
B	I	N	O	C	U	L	A	R	S	
KTC 1400 C										
	0	1	2	3	4	5	6	7	8	9
A	NQFD	LUP	BEO	VW	TC	AJK	RH	IY	XM	SG
B	KPQG	ESO	UFR	WL	NC	YJD	BT	HA	XM	VI
C	VKIS	QRO	FHC	XL	TN	MYP	DJ	EA	WB	UG
D	PRJH	GNU	KWC	XO	AF	VLD	BI	SQ	TE	MY
E	YVPJ	RTA	XIB	OM	FE	GKD	CW	LQ	NU	SH
F	ICSR	OEJ	YPW	LF	MB	DNA	UH	KQ	TX	VG
G	SHFM	GRC	XNB	VI	AJ	PLO	YE	WU	QK	TD
H	GAVX	NBO	FMQ	EI	LJ	CST	YR	WP	KD	HU
I	EFMV	LKX	JUD	YP	BS	CRH	TO	AI	GQ	WN
J	OCWN	LDP	FSR	KI	JQ	YTM	GV	AU	XE	HB
K	AOHN	GBL	FKU	TJ	RV	SPC	IQ	DE	XM	WY
L	NEPB	KTA	VOD	CW	QI	YFM	SX	LJ	RU	HG
M	WSIO	LEB	JDQ	MH	NP	RXV	FC	AG	KU	TY
N	OKNE	PQJ	RFB	IH	YM	SAU	VG	CL	TD	XW
O	KIAM	QTL	JNS	YX	BU	DEH	GP	WC	FR	OV
P	YQFT	AKN	CDB	VJ	PE	OGR	IL	SH	MW	UX
Q	GUSB	QJR	LYM	AI	VH	TED	OK	PN	WX	FC
R	SMOW	QUJ	ABE	PR	GY	CTX	NK	FD	HV	LI
S	WIMV	QRN	XYO	BF	UP	EDT	LA	HS	GC	KJ
T	RVQY	HUB	WDO	PG	AC	MIF	LN	XE	KJ	ST
U	HODS	XMQ	VTK	BC	PU	EWf	RJ	YN	LG	IA
V	XBpQ	DFM	OER	YC	AI	GWN	JV	TU	LS	HK
W	UBEX	JNP	FWC	DV	SQ	MYK	AT	LI	HR	GO
X	UENS	PMH	OJQ	CX	KG	YDL	FA	VW	TB	IR
Y	BDJT	POH	LFV	SC	KR	UIA	XM	GY	EW	NQ

NAVAIDS				
Id	Name	Channel	Position	Elevation
BCE	Bryce Canyon	75	N3741.35 W11218.23	9040
BIH	Bishop	33	N3722.62 W11821.99	4114
BLD	Boulder	114	N3559.75 W11451.82	3650
BTY	Beatty	94	N3648.54 W11644.86	2925
CDC	Cedar City	120	N3747.24 W11304.90	5463
DAG	Daggett	79	N3457.75 W11634.69	1760
EED	Needles	99	N3445.96 W11428.43	650
GFS	Goffs	91	N3507.87 W11510.59	4019
GRL	Groom Lake	18	N3713.91 W11548.16	4475
HEC	Hector	74	N3447.83 W11627.78	1854
ILC	Wilson Creek	110	N3815.02 W11423.65	9318
INS	Creech AFB	87	N3635.20 W11540.12	3101
LAS	McCarran Intl	116	N3604.78 W11509.59	2142
LSV	Nellis	12	N3614.68 W11501.50	1864
MLF	Milford	58	N3821.62 W11300.79	4977
MMM	Mormon Mesa	90	N3646.16 W11416.65	2120
MVA	Mina	98	N3833.92 W11801.97	7860
OAL	Coale Dale	124	N3800.20 W11746.23	4800
PGS	Peach Springs	57	N3537.48 W11332.67	4754
TPH	Tonopah Muni	119	N3801.84 W11702.01	5330
TQQ	Silverbow	77	N3748.00 W11647.00	5500
UTI	St George	23	N3705.29 W11335.53	2871



PAR	RWY	CAT	MINIMA	ARP	ELEV	Scale 1:35'500
	21L	A B D E	2057 - 0.8 200 (200-0.8/1.6) GS 3°	36° 14.060° N	1857 [ft]	0 300 600 900 1200 1500 [m]
	3R	A B D E	2057 - 0.8 200 (200-0.8/1.6) GS 3°	115° 01.058° W	566 [m]	0 1000 2000 3000 4000 5000 [ft]
SRA	21R	A C D E	2257 - 1.2 350 (350-1.2/1.6)			
	3L	A C D E	2257 - 1.2 350 (350-1.2/1.6)			

RWY	TORA	TODA	ASDA	LDA	PSN THR	ALS
21L	10051 [ft] 3063 [m]	11051 [ft] 3368 [m]	11051 [ft] 3368 [m]	10051 [ft] 3063 [m]	36°14.043°N 115°01.018°W	⊕
3R	10120 [ft] 3084 [m]	11120 [ft] 3398 [m]	11120 [ft] 3398 [m]	10120 [ft] 3084 [m]	36°13.029°N 115°02.038°W	

ATIS	NELLIS GROUND	NELLIS TOWER	NELLIS CONTROL	TACAN	ILS RWY 21L	NELLIS EAST	NELLIS WEST
270.100 Mhz	275.800 121.800	327.000 132.55	317.525	LSV 12X	109.10 Mhz	384.400	385.000

FYTTR THREE DEPARTURE

NELLIS AFB (KLSV)
IFR CHART | VALID 2014 LAS VEGAS, NEVADA


ATIS
270.100
NELLIS GROUND
275.800
NELLIS TOWER
327.000
NELLIS CONTROL
317.525
NELLIS DEP/APP EAST
384.400
BLACKJACK
377.800



Rwy	Knots	60	120	180	240	300	360
3L	(a) V/V(fpm)	394	788	1182	1576	1970	2364
3R	(a) V/V(fpm)	392	784	1176	1568	1960	2352
21L	(b) V/V(fpm)	388	776	1164	1552	1940	2328
21R	(b) V/V(fpm)	390	780	1170	1560	1950	2340

Minimum Climb Rate
(a) to 9300
(b) to 13 500

CAUTION: If unable to comply with restrictions advise ATC prior to departure.



DEPARTURE ROUTE DESCRIPTION

TAKEOFF RWY 3L/R

- Fly runway heading until reaching 5,800'.
- Then climbing left turn to intercept LSV TACAN R-269 outbound.
- Cross FYTTR at or above 14,000' or as assigned, then via assigned route.

TAKEOFF RWY 21L/21R

- Turn right to intercept LSV TACAN R-269 outbound.
- Remain within LSV 4 DME until joining LSV R-269
- Cross R-255 between 5,000' and 6,000'.
- Cross FYTTR at or above 14,000' or as assigned, then via assigned route.

NOISE ABATEMENT PROCEDURES:

Fly according to Nellis Noise Abatement instructions as published

LAS VEGAS, NEVADA

HI-ILS or LOC Z RWY 21L

LOC I-DIQ 109.1	APCH CRS 209°	Rwy Idg 10,051	21L 10,120	21R 10,120
		TDZE 1865	1865	1869
		Arpt Elev 1869		

JAL-227 (USAF)


NELLIS AFB (KLSV)

T * When ALS inop, increase CAT CDE RVR to 40, vis to 3/4 mile.
 ** When ALS inop, increase CAT CDE vis to 1 3/4 miles.
 *** Circling not authorized E of Rwy 3R-21L.

Rwy 21
ALSF-1

† MISSED APPROACH: Climb to 15,000, intercept LSV TACAN R-210 to 2.5 DME (ROCKX), then climbing right turn heading 020° to join LSV R-358 to ARCOE and hold, continue climb-in-hold to 15,000. Missed approach not for civil use.

ATIS 270.1	APP CON 124.95 273.55	TOWER 132.55 327.0	GND CON 121.8 275.8	CLNC DEL 120.9 289.4
---------------	--------------------------	-----------------------	------------------------	-------------------------



15,000 LSV R-210

ROCK LSV (2.5)

VGSI and ILS glidepath not coincident (VGSI angle 3.00/TCH 54).

± LOC only

TACAN

JELIR (4)

SESDE (6)

ROTSE (7.3) RADAR

KRYSS R-030 (21)

OLNIE R-003 (21)

WISTO R-358 (21)

WISTO R-358 (21)

12,500

8900

5000

4200

3140

4000

21° Arc

GS 3.00° TCH 50

21°

209° 7.2NM from FAF

2011 BCN 1951 1949

10120 10051 x 150

1.4% DOWN

0.4% DOWN

TWR 1978

HIRL all Rwy's

FAF to MAP 6.7 NM

Knots 120 140 160 180 200

Min:Sec 3:21 2:52 2:31 2:14 2:00

CATEGORY	C	D	E
S-ILS 21L*	2065/24	200	(200-½)
S-LOC 21L**	2480-1¾	615	(700-1¾)
SIDESTEP 21R	2500-1¾	631	(700-1¾)

C CIRCLING***

	2620-2¼ 751 (800-2¼)	2840-3 971 (1000-3)	3040-3 1171 (1200-3)
--	-------------------------	------------------------	-------------------------

LAS VEGAS, NEVADA

36°14'N - 115°02'W

NELLIS AFB (KLSV)

HI-ILS or LOC Z RWY 21L

SW-4, 05 DEC 2019 to 02 JAN 2020

SW-4. 05 DEC 2019 to 02 JAN 2020



